

ACCR REPORTABLE LIST
ICD-10 Casefinding Codes for ICD-O-3 Reportable Diseases
Effective dates 10/01/2018 – 9/30/2019

The following ICD-10-CM list is intended to assist in reportable neoplasm casefinding activities. It should be used to identify potentially reportable tumors. Any reportable neoplasms diagnosed on or after January 1, 1996 should be reported to the Arkansas Central Cancer Registry

Reportable Neoplasms:

- ❖ Behavior code of 2 or 3 in ICD-O-3 (NPCR included VIN III, VAIN III, AIN III)
- ❖ Malignant neoplasms (exclusions noted below)
- ❖ Benign and borderline neoplasms of the central nervous system (Cases diagnosed on or after January 1, 2004), including juvenile astrocytoma (M9432/1 **change** to 9423/3)*Juvenile astrocytomas should be reported as 9421/3.
- ❖ Carcinoma in-situ (exclusions noted below)
- ❖ Carcinoid, NOS (Beginning 1/1/15 appendix carcinoids are reportable and should be reported per NAACCR ICD-O-3 guidelines update implementation, p. 8 reportability change be malignant)
- ❖ Squamous **intraepithelial neoplasia grade III** of vulva (**VIN**), vagina (**VAIN**), and anus (**AIN**) beginning with 2001 cases as an Arkansas Central Cancer Registry state required item.
- ❖ Primary tumors that originate in a mucous membrane are reportable and include the following: Lip, Anus, Labia, Clitoris, Scrotum, Vulva, Vagina, Prepuce and Penis

C00._ - C43._, C4A._, C45._ - C48._, C49._ - C96._ Malignant neoplasms (primary and secondary) <u>Excluding category C44</u>	
NEW for FY2018: C96.20 Malignant mast cell neoplasm, unspecified C96.21 Aggressive systemic mastocytosis C96.22 Mast cell sarcoma C96.29 Other malignant cell neoplasm	
C49.A_	Gastrointestinal Stromal Tumors (GIST) Note: GIST is only reportable when it is malignant (/3). GIST, NOS is not Reportable.
D00._ - D09._ In-situ neoplasms (Note. CIS of cervix (CIN III-8077/2) and (Prostatic Intraepithelial Carcinoma (PIN III-8148/2) are not reportable	
D18.02	Hemangioma, intracranial structures and any site Note: Includes hemangioma of Brain, Other parts of nervous system and endocrine glands, which are reportable.
D32._	Benign neoplasm of meninges (cerebral, spinal and unspecified)
D33._	Benign neoplasm of brain and other parts of central nervous system
D35.2 – D35.4	Benign Pituitary gland and craniopharyngeal duct (pouch), pineal gland
D42._, D43._	Neoplasms of uncertain behavior of meninges, brain, CNS
D44.3 - D44.5	Neoplasm of uncertain or unknown behavior Pituitary gland and craniopharyngeal duct (pouch), pineal gland
D45	Polycythemia vera (9950/3) ICD-10-CM Coding instruction note: Excludes familial polycythemia (C75.0), secondary polycythemia (D75.1)
D46._	Myelodysplastic syndromes (9980,9982,9983,9985,9986,9989,9991,9992)
D47.02	Systemic mastocytosis Note: Effective 10/1/2017
D47.1	Chronic myeloproliferative disease (9963/3, 9975/3). ICD-10-CM Coding instruction note: Excludes the following:

<i>Atypical chronic myeloid leukemia BCR/ABL-negative (C92.2_)</i> <i>Chronic myeloid leukemia BCR/ABL-positive (C92.1_)</i> <i>Myelofibrosis & Secondary myelofibrosis (D75.81)</i> <i>Myelophthysis anemia & Myelophthysis (D61.82)</i>	
D47.3	Essential (hemorrhagic) thrombocythemia (9962/3) <i>Includes: Essential thrombocytosis, idiopathic hemorrhagic thrombocythemia</i>
D47.4	Osteomyelofibrosis (9961/3) <i>Includes: Chronic idiopathic myelofibrosis Myelofibrosis (idiopathic) (with myeloid metaplasia)</i> <i>Myelosclerosis (megakaryocytic) with myeloid metaplasia)</i> <i>Secondary myelofibrosis in myeloproliferative disease</i>
D47.Z_	Other neoplasms of uncertain behavior of lymphoid, hematopoietic related tissue unspecified (9960/3, 9970/1, 9971/3, 9931/3)
D47.9	Neoplasm of uncertain behavior of lymphoid, hematopoietic and related tissue, unspecified (9960/3, 9970/1, 9971/3, 9931/3)
D49.6, D49.7	Neoplasms of uncertain behavior of brain, endocrine glands and other CNS
R85.614	Cytologic evidence of malignancy on smear of anus
R87.614	Cytologic evidence of malignancy on smear of cervix
R87.624	Cytologic evidence of malignancy on smear of vagina
D72.1	Eosinophilia (Note: code for eosinophilia (9964/3). Not every case of eosinophilia is a malignancy. Reportable diagnosis is "Hypereosinophilic syndrome.")
E34.0	Carcinoid Syndrome
R18.0	Malignant ascites
Z51.0	Encounter or admission for radiotherapy
Z51.1	Encounter for chemotherapy and immunotherapy

Neoplasms not required by ACCR:

Morphology Codes	Diagnosis/Terminology
8000-8005	Neoplasms, malignant, NOS of skin
8010/2	Carcinoma in-situ of cervix (CIS)
8010-8046	Epithelial carcinomas of the skin
8050-8084	Papillary and squamous cell carcinoma of skin
8077/2	Squamous Intraepithelial Neoplasia, grade III of cervix (CIN III)
8090-8110	Basal cell carcinoma of the skin
8148/2	Prostatic Intraepithelial Neoplasia

- Borderline cystadenomas M-8442, 8451, 8462, 8472, 8473, of the ovaries which moved from /3 to /1 are NOT collected as of 1/1/2001

The following terms are synonymous with in-situ disease (Behavior code 2)

Adenocarcinoma in an adenomatous polyp with no invasion of stalk
 Clark's level I melanoma or limited to epithelium
 Noninfiltrating comedocarcinoma, confined to epithelium
 Hutchison's melanotic freckle NOS, intracystic-noninfiltrating, intraductal, intraepithelium NOS, intraepidermal NOS (involvement up to but not Including basement membrane.)
 Lentigo maligna, lobular neoplasia, lobular-noninfiltrating, noninvasive, no stromal involvement, papillary noninfiltrating or intraductal
 Vaginal intraepithelial neoplasia Grade III or VAIN III

Vulvar intraepithelial neoplasia Grade III or VIN III

Anal intraepithelial neoplasia Grade III or AIN III

- ◇ If any invasion is present, no matter how limited – cases must be coded to invasive behavior
- ◇ If other benign or borderline diseases are required to be collected by your hospital cancer committee or other appointed officials, they are not required to be reported to ACCR.

Revised 2/11/2019